

SAFETY DATA SHEET

Section 1 Identification of the material and the supplier

Product: FramePro Treated Radiata Pine

Product Use: Timber components for use in structures in protected situations

where insect and fungal decay resistance is required.

Other names: Boric treated softwood

New Zealand Supplier: McAlpines (Rotorua) Limited

Address: 50-64 Vaughan Road,

Rotorua

New Zealand

Telephone: (07) 345 6072 Fax Number: (07) 345 5772

Emergency Telephone: 07 345 6072

Date of SDS Preparation: 26 August 2022

Section 2 Hazards Identification

This substance is NOT hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

Section 3 Composition / Information on Ingredients

| Name | CAS Number | Weight % |
|----------------------------------|------------|----------|
| Pinus Radiata – Timber | N/A | > 90 |
| Wood preservative residuals as | | |
| Disodium Octaborate Tetrahydrate | 12008-41-2 | 0.1 - 3 |
| Benzalkonium chloride | 8001-54-5 | 0.1 - 1 |
| Mono Ethylene Glycol | 107-21-1 | 1 – 5 |

Section 4 First Aid Measures

Routes of Exposure:

If in Eyes Hold eyes open and carefully rinse eyes with running water for several

minutes. Seek medical advice if irritation persists.

If on Skin Brush off dust. Rinse skin with soap and water or shower. If skin irritation

occurs, get medical attention. Get medical advice if pierced by splinters.

If Swallowed Rinse mouth. Do not induce vomiting unless told to do so by a medical

professional. Seek medical attention if you feel unwell.

If Inhaled If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing. If person is not breathing, begin artificial

respiration. Use mouth-to-nose rather than mouth-to-mouth. If experiencing

respiratory symptoms: Seek medical attention.

Product Name: FramePro Treated Radiata Pine

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 26/8/22 Tel: 09 475 5240 www.techcomp.co.nz

Page 1 of 5



Section 5 Fire Fighting Measures

| Hazard Type | Combustible material |
|--|---|
| Hazards from decomposition products | Avoid breathing smoke or fumes that may contain hazardous decomposition products. Carbon dioxide, carbon monoxide, oxides of nitrogen. May produce toxic decomposition products in fumes and smoke in fire. |
| Suitable Extinguishing media | Water spray. |
| Precautions for firefighters and special protective clothing | Wear personal protection equipment and self-contained breathing apparatus. Wood dust may form explosive mixtures with air. |
| HAZCHEM CODE | None Allocated |

| Section 6 | Accidental Release Measures |
|--------------|-----------------------------|
| l Occiloii o | Accidental Nelease Measures |

GENERAL:

Wear appropriate personal protective equipment. Avoid any contact with skin or eyes.

Dispose of treated off cuts to authorised landfill. Consult Regional Council for disposal options Clean spillage area with detergent and water. Wash and dry any contaminated protective equipment before re-use.

Section 7 Handling and Storage

HANDLING:

- Wear protective clothing.
- Wash hands before smoking, eating, drinking or using the toilet
- Keep away from sparks, open flames, hot surfaces. No smoking.

STORAGE:

- Store in a dry, well-ventilated place, away from sources of heat or ignition
- Store away from incompatibilities listed in Section 10.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

| | | TWA | | STEL |
|---|-----------|-----|-------|-----------|
| Substance | | ppm | mg/m³ | ppm mg/m³ |
| Wood dust (soft wood) | | | 2 | |
| Borates, tetra, sodium salts (pentahydrate) | | | 1 | |
| Ethylene glycol (vapour and mist) | Ceiling - | 50 | 127 | |

ENGINEERING CONTROLS:

Use with mechanical dust extraction or in well-ventilated area or outside.

Avoid sawing or sanding of timber that is wet (not dry) with the preservative treatment

Product Name: FramePro Treated Radiata Pine SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26/8/22 Tel: 09 475 5240 www.techcomp.co.nz

Page 2 of 5



PERSONAL PROTECTIVE EQUIPMENT:

| Eyes | Wear goggles, full face shield, or safety glasses with side shields when cutting this product. |
|----------------|--|
| Hands and Skin | Wear protective clothing such as overalls and shirt with sleeves, also closed in footwear. Wear puncture-resistant gloves (e.g. leather) when handling dry wood, or rubber gloves if the surfaces are wet with preservative. |
| Respiratory | Use in well-ventilated area or outside. Wear dust mask if wood dust is generated. |
| General | Wash hands before eating, drinking, smoking, using the toilet and at the end of the shift. |

Section 9 Physical and Chemical Properties

Appearance Machined or rough-sawn pine timber and timber-based

products; may be a pink/red colour, natural wood colour

or may be painted

Odour Not available **Odour Threshold** Not applicable Not applicable pН **Boiling Point** Not applicable Not applicable **Melting Point Freezing Point** Not available Not applicable **Flash Point Flammability** Combustible **Upper and Lower Explosive Limits** Not applicable **Vapour Pressure** Not applicable Density at 20°C $0.4 - 0.6 \text{ g/cm}^3$ Solubility in water Insoluble **Partition Coefficient:** Not applicable **Auto-ignition Temperature** Not applicable Not available **Decomposition Temperature** Not available **Kinematic Viscosity Particle Characteristics** Not available % Volaties Not applicable

Section 10 Stability and Reactivity

Chemical Stability: Stable under normal storage and use conditions.

Conditions to Avoid: Avoid contact with extreme heat.

Incompatibility: Other combustible materials, Strong oxidising agents, acids, alkalis.

Hazardous Carbon dioxide, carbon monoxide, oxides of nitrogen. May produce toxic

Not applicable

Decomposition: decomposition products in fumes and smoke in fire.

Products

Section 11 Toxicological Information

Acute Effects:

Evaporation Rate

SwallowedNot applicable.DermalNot applicable.

Inhalation/Respiratory Sawdust may cause asthma-like symptoms.

Eye Sawdust may cause eye irritation.

Skin Sawdust may cause skin irritation. May cause skin sensitization.

Product Name: FramePro Treated Radiata Pine SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26/8/22 Tel: 09 475 5240 www.techcomp.co.nz

Page 3 of 5



Chronic Effects:

Carcinogenicity Sawdust may cause nasal/paranasal cancer through repeated exposure.

Reproductive Toxicity
Germ Cell Mutagenicity
STOT/SE

Not applicable.
Not applicable.
Not applicable.

STOT/RE May cause damage to skin and lungs through repeated exposure.

Aspiration Not applicable.

Section 12 Ecotoxicological Information

This product is not known to be a hazard to the environment. FramePro treated wood may contain ecotoxic compounds, which may leach out into waterways over time. Remove from waterways as soon as possible.

Persistence/Degradeability:No data availableMobility in Soil:No data availableBioaccumulative potential:No data availableOther Adverse effects:No data available

Section 13 Disposal Considerations

Dispose of treated off cuts to authorised landfill. Consult Regional Council for disposal options. DO NOT use off cuts for heating or cooking fires or for barbecues or spit roasts. Avoid contact with ash; contains toxic compounds. Dispose of ash safely to an approved landfill.

Section 14 Transport Information

This substance is not classified as a Dangerous Good for transport in NZ; NZS 5433:2020 and SNZ HB 5433:2021

Section 15 Regulatory Information

This substance is NOT hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

Section 16 Other Information

Glossary

Cat. Category

AWC Aggregate water capacity.

EC₅₀ Median effective concentration.

EEL Environmental Exposure Limit.

EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms inhaling or

ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level
WES Workplace Exposure Limit

Product Name: FramePro Treated Radiata Pine SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26/8/22 Tel: 09 475 5240 www.techcomp.co.nz

Page **4** of **5**



References

- EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- Workplace Exposure Standards and Biological Exposure Indices Apr 2022 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been compiled by TCC (NZ) Ltd on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) Ltd has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Koppers Performance Chemicals New Zealand, if further information is required.

Issue Date: 26 August 2022 Review Date: 26 August 2027

Product Name: FramePro Treated Radiata Pine

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 26/8/22 Tel: 09 475 5240 www.techcomp.co.nz

Page **5** of **5**